

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4	((("6542964") or ("6704781"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 10:20
L2	3427	(709/217).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 10:24
L3	683	(711/122).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 10:24
L4	2	2 and 3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 10:24
S1	6	(third adj party adj cache\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/02 13:45
S2	250	server\$5 with cache\$3 with register\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/02 13:44
S3	0	S1 and S2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/02 13:44
S4	11	('3' third) near party near cache\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/02 13:45

S5	0	S4 with register\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/02 13:47
S6	4	((("6542964") or ("6704781"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 10:24
S7	27	((web content\$3) adj (server\$5 site\$3)) with register\$5 with cache\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/02 13:52
S8	7	S7 and @ad<"20000921"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/02 13:52
S9	182	(server\$5 site\$3) near9 register\$5 near9 cache\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/02 13:52
S10	40	S9 and @ad<"20000921"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/02 14:43
S11	10	"6542964"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/02 13:56
S12	17	((("6108703") or ("6553413") or ("6405252") or ("6484143") or ("6502125") or ("6665706") or ("6003030") or ("5991809") or ("6185598") or ("6119143"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 10:20

S13	2	("6553413").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/02 14:30
S14	69	(client\$5 adj cache\$5) with ((private public) (block adj data) (ip near pass) (contact) (characteristic\$3 performance\$3) (cache adj (id identifier\$5 identificat\$5)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/02 14:44
S15	21	S14 and @ad<"20000921"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/02 14:44
S16	0	(cache\$5) with ((private public) and (block adj data) and (ip near pass) and (characteristic\$3 performance\$3) and (cache adj (id identifier\$5 identificat\$5)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/02 14:45
S17	1	(cache\$5) with ((private public) and (block\$5) and (ip) and (characteristic\$3 performance\$3) and (cache adj (id identifier\$5 identificat\$5)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/02 14:45
S18	2	(cache\$5) with ((private status public) and (block\$5) and (ip) and (characteristic\$3 performance\$3) and (cache adj (id identifier\$5 identificat\$5)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/02 14:45


[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide



THE ACM DIGITAL LIBRARY


[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Published before September 2000

Terms used register cache content delivery

Found 2 of 109,619

Sort results by Display results
[Save results to a Binder](#)
[Search Tips](#)
☐ Open results in a new window
Try an [Advanced Search](#)Try this search in [The ACM Guide](#)

Results 1 - 2 of 2

Relevance scale ☐ ☐ ☐ ☐ ☐

1 [Quality is in the eye of the beholder: meeting users' requirements for Internet quality of service](#)

Anna Bouch, Allan Kuchinsky, Nina Bhatti

 April 2000 **Proceedings of the SIGCHI conference on Human factors in computing systems**

 Full text available: pdf (863.24 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Growing usage and diversity of applications on the Internet makes Quality of Service (QoS) increasingly critical [15]. To date, the majority of research on QoS is systems oriented, focusing on traffic analysis, scheduling, and routing. Relatively minor attention has been paid to user-level QoS issues. It is not yet known how objective system quality relates to users' subjective perceptions of quality. This paper presents the results of quantitative experiments that establish a mapping between ...

Keywords: Internet, quality of service, user perception

2 [Spontaneous software: a Web-based, object computing paradigm](#)

Glêdson Elias da Silveira

 June 2000 **Proceedings of the 22nd international conference on Software engineering**

 Full text available: pdf (112.31 KB) Additional Information: [full citation](#), [references](#), [index terms](#)
Keywords: mobile code, software distributing, software reuse

Results 1 - 2 of 2

The ACM Portal is published by the Association for Computing Machinery. Copyright ?2005 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

 Useful downloads: [Adobe Acrobat](#) [QuickTime](#) [Windows Media Player](#) [Real Player](#)



Welcome United States Patent and Trademark Office

Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

SUPPORT

Results for "((register<in>metadata) <and> (cache<in>metadata))<and> (web<in>..."

Your search matched 2 of 1229994 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

e-mail printer friendly

» Search Options

[View Session History](#)
[New Search](#)

Modify Search

☐ Check to search only within this results set

 Display Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

Select Article Information



1. An efficient connection scheme for mobile IP

Hye-Young Kim; Chong-Sun Hwang;
 Networks, 2001. Proceedings. Ninth IEEE International Conference on
 10-12 Oct. 2001 Page(s):396 - 400
 Digital Object Identifier 10.1109/ICON.2001.962374

[AbstractPlus](#) | Full Text: [PDF](#)(482 KB) IEEE CNF



2. An infrastructure for meta-auctions

Bornhovd, C.; Cilia, M.; Liebig, C.; Buchmann, A.;
 Advanced Issues of E-Commerce and Web-Based Information Systems, 2000. WECWIS 200
 Second International Workshop on
 8-9 June 2000 Page(s):21 - 30
 Digital Object Identifier 10.1109/WECWIS.2000.853855

[AbstractPlus](#) | Full Text: [PDF](#)(236 KB) IEEE CNF

 Indexed by
[Help](#) [Contact Us](#) [Privacy & Security](#) IEEE.

© Copyright 2005 IEEE -- All Rights Reserved



Web

Results 1 - 10 of about 69 for **"third party cache" "web" "register"**. (0.34 seconds)

Deployment Guide - Third Party Cache

Web caches are used to move **web** content closer to **web** clients and offload the server of ... When used in an architecture that already has a **web** cache, ...

support.packeteer.com/.../packetguide/appcelera-3.0.2/ advanced/deployment-guide/deployment-guide-17.htm - 15k -

[Cached](#) - [Similar pages](#)

Deployment Guide - Inline Deployment Mode

In the inline mode, AppCelera is inserted between the **web** servers and the ...

The Inside port is used to connect **web** servers and the Outside port is used to ...

support.packeteer.com/.../packetguide/appcelera-3.0.2/ advanced/deployment-guide/deployment-guide-19.htm -

15k - [Cached](#) - [Similar pages](#)

[[More results from support.packeteer.com](#)]

Tech Patterns :: Web page optimization and IP packet size.

Register :: Log in · Forum FAQ · Search Forums · **Web** page optimization and IP

... Implementing a good **third-party cache** optimization system probably also ...

techpatterns.com/forums/about179.html - 19k - [Cached](#) - [Similar pages](#)

WCCP Enhancements [Cisco IOS Software Releases 12.0 S] - Cisco Systems

ip wccp **web**-cache group-address 224.1.1.100 password alabama ... The following

example shows how to **register** a router to a multicast address of 224.1.1.100: ...

www.cisco.com/en/US/products/sw/iosswrel/ ps1829/products__feature__guide09186a0080081206.html - 114k - Sep 4, 2005 -

[Cached](#) - [Similar pages](#)

[PDF] Selective Dissemination of Information in the Dynamic Web Environment

File Format: PDF/Adobe Acrobat - [View as HTML](#)

register a query predicate instead of simply a query identifier at the provider.

... A **third party cache** could interact with the information provider, ...

www.cs.virginia.edu/~cyberia/papers/eko_thesis.pdf - [Similar pages](#)

PowerMac Getting Slow...: (.... What do you do to speed up your ...

I've tried some of the **third party cache** cleaners, but to no avail. ... Other Topics,

Digital Video & Audio, Art & Graphic Design, **Web** Developer, Networking ...

macnn.com/rd.php?id=33209 - 144k - [Cached](#) - [Similar pages](#)

[doc] Windows Media 9 Series Deployment Guide

File Format: Microsoft Word 2000 - [View as HTML](#)

Windows Media Services Administrator for the **Web**, an HTML 3.2-based interface,

... A **third-party cache**/proxy plug-in can be installed to a server to provide ...

download.microsoft.com/download/8/8/c/ 88cca5ba-cf78-405e-ae70-49b53f5c8ad7/WMS9SDeploymentGuideFinal.DOC -

[Similar pages](#)

[PDF] REALPROXY G2 ADMINISTRATION GUIDE BETA ONE

File Format: PDF/Adobe Acrobat - [View as HTML](#)

RealSystem Administrator is the **web**-based console for fine-tuning RealProxy.

features. ... RealProxy can also be integrated with **third-party cache** software, ...

docs.real.com/docs/realproxyg2b1.pdf - [Similar pages](#)

[PDF] Apple Logic Board Design LPX-40

File Format: PDF/Adobe Acrobat - [View as HTML](#)

The Apple Developer World **web** site is the one-stop source for finding ...

development of **third-party cache** cards for the Apple Logic Board Design LPX-40. ...

developer.apple.com/documentation/Hardware/ Developer_Notes/Macintosh_CPUs-PPC_Desktop/LPX-40_Dev_Note.pdf -

Similar pages

[PDF] Power Macintosh 5500 and 6500 Computers


File Format: PDF/Adobe Acrobat - [View as HTML](#)

support development of **third-party cache** cards for the Power Macintosh 5500 and ... ATA **register** select signal. It is asserted high to select the additional ...

[developer.apple.com/documentation/Hardware/ Developer_Notes/Macintosh_CPUs-PPC_Desktop/PPC_5500_6500.pdf](http://developer.apple.com/documentation/Hardware/Developer_Notes/Macintosh_CPUs-PPC_Desktop/PPC_5500_6500.pdf) - [Similar pages](#)

Google

Result Page: 1 2 3 4 **Next**



Free! Instantly find your email, files, media and web history. [Download now.](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google